



# think global, act local

DAB is present many countries; production capacity and capillary distribution worldwide allow extreme effectiveness and timelessness in the processing of orders. The consequence of coordinated and optimized

allows us to guarantee the same performance and results anywhere in the world.

This allows DAB to provide a timely 360° service, providing constant support before and after sales while always maintaining the same level of quality.



DAB PEOPLE

304 **MILLION €** 

**TOTAL SALES** 

YEARS

43

19

**COMPANIES** AROUND THE GLOBE

**OVER** 2,6 **MILLION** 

PIECES PRODUCED

Data updated at end 2017

# Technological integration, design and passion: this is DAB.

To combine over 40 years of business tradition with the technological evolution that the sector of handling and water management requires, is the goal that DAB has settled on bringing forth an ambitious and challenging project.

A commitment that has borne fruit and a result, that today's, was created by combining all the forces that make up DAB, from its people to its clients.

With several acquisitions in recent years, DAB has reached the goal of being identified as a unique partner in the market of electronic

pumps, motors for submerged pumps and electronic solutions for pumping systems.

The ability to count, internally, on the different technologies means, not only greater agility of the production facilities, but also for better control of the products themselves.

The secret of lasting success is the ability to shape oneself according to the changes in the market, to always be ready to grasp opportunity, anticipate their demands and to be a source of innovative ideas.





#### **6 PRODUCTION PLANTS**

4 PLANTS DAB ITALY DAB HUNGARY DAB CHINA

#### **12 SALES COMPANIES**

DAB UK DAB SOUTH AFRICA DAB GERMANY DAB POLAND DAB BELGIUM DAB USA DAB MEXICO DAB NETHERLANDS

DAB SPAIN DAB OCEANIA (Melbourne)

DAB RUSSIA DAB CHINA

# THE HEART OF THE SWIMMING POOL



**E-Swim** is the new electronic pump of Dab Pumps suitable for swimming pool water recirculation and filtering systems (including salt water) for the residential and civil sectors, and for applications with aggressive liquids in fishing and agriculture. It guarantees silent operation, comfort and versatility.

The distinguishing features that make this pump unique are the high efficiency water-cooled permanent magnet motor, which ensures extremely quiet operation, the hydraulics optimised to reduce load losses, the eight programmable speeds that provide energy savings. The intuitive display, the programmable menu, the integrated diagnostics for the protection of the pump and the quiet operation ensure maximum comfort during use. Versatility is also another strong point of the product, which has a compact design without fan, thanks to the water cooling system. The variable speed operation makes e.swim suitable for all types of swimming pools

E.Swim is the swimming pool pump for those who seek quiet operation, energy savings and efficiency.



Energy Saving up to 90% to any other traditional

solution



# Extreme Silent Running 45db(A)

Thanks to water cooling technology



#### **High Efficiency**

thanks to the new brushless motor, new hydraulics, new electronic board



**Display LCD**Easy to install and use with large LCD display



#### **AWARDS AND CERTIFICATIONS**

Award received at MCE 2016








### **OVERVIEW**

### **ENERGY SAVING**

The new e.swim is the best solution to dramatically reduce energy consumption, thanks to:

- High efficiency brushless magnet motor
- High efficient hydraulics to reduce pressure losses
- 8 settable speeds



#### EXAMPLE WITH 3 CYCLES PER DAY, 10 HOURS A DAY AND 200 DAYS OF OPERATION PER YEAR

POOL SIZE	MODEL	ENERGY COST €/kWh	E.SWIM Saving 1 day	E.SWIM Saving 1 Year	E.SWIM Saving 5 year
30 m³	0,5 Hp	0,12	€ 0,17	€ 33,60	€ 168,00
30 111	single speed	0,24	€ 0,34	€ 67,20	€ 336,00
45 m³	0,75 Hp	0,12	€ 0,35	€ 69,60	€ 348,00
40 111	single speed	0,24	€ 0,70	€ 139,20	€ 696,00
60 m³	1 Hp	0,12	€ 0,52	€ 103,20	€ 516,00
00 111	single speed	0,24	€ 0,35 € 0,70	€ 206,40	€ 1.032,00
70 m³	1,5 Hp single speed	0,12	€ 0,66	€ 132,00	€ 660,00
		0,24	€ 1,32	€ 264,00	€ 1.320,00



### **SAFETY** FIRST


E.Swim with SVRS software gives you full peace of mind: we have designed a system that disables the suction of the swimming pool pump, so that bodies or objects trapped against the suction port may be quickly released.

# The specific software allows to operate not only at different speeds,

**EASY INSTALLATION** 

but also at variable or constant flow rates, thus guareeing a unique use experience.

LCD 70X40 mm high-resolution screen. The intuitive interface gives access to all the system information and the main settings depending on the specific application.







### **OVERVIEW**

### **LOW NOISE**

# NO VIBRATIONS

Extreme silent running, thanks to the water cooled technology No vibration, no cooling fan, anti vibration feet. The special water cooled motor, the inverter and the anti vibration feet make e.swim the most silent swimming pool pumps on the market.





# **VERSATILITY**

Wide choice and flexibility of use, manual or automatic operation, integrated control menu or connection from external control unit



Set point pre-set with unlimited time or configurable with specified time. Editable via panel.




AUTO

E F G ......

am 2 4

ESC 4



Auto operation with dayly and weekly timer scheduling of different speeds.

Possibility to control the pump from REMOTE via digital or analogue contact (4-20mA / 0-10V)






### **OVERVIEW**

# **MINIMUM SPACE REQUIREMENT**

### MAX COMPACTNESS

The new structure and ergonomic design make for a compact product that can be installed anywhere. It occupies 30% less space than any other conventional system.







### DESIGN

This innovative solution combines aesthetics with sturdy materials highly resistant to corrosion and oxidation



#### **VARIABLE SPEED / FLOW CONTROL**

The inverter control board allows operation at variable speed or flow rate, optimising performance and reducing consumption without the need for sensors.



#### HIGH EFFICIENCY HYDRAULICS

The impeller and volute are designed specifically to improve/optimise hydraulic performance.



#### **ANTI-VIBRATION FEET**

The supporting base guarantees stability with integrated rubber feet that reduce vibrations.



#### INTEGRATED PREFILTER

It has a large canister, up to 5 liters, a trasparent lid that can be removed without tools, and an internal filter easy to take out and clean

**FEATURES** 



# SYNCHRONOUS MOTOR WITH PERMANENT MAGNETS

The new synchronous motor with permanent magnets represents a new benchmark on the market due to its efficiency and reliability.



#### WATER COOLING

Motor cooled by the pumped water, free from fan cooling. It gains in compactness and low noise.



#### **USER INTERFACE PANEL**

Intuitive interface panel for immediate control of the pump and programming according to any needs.
High resolution LCD display.









# **Euroswim**

# **HIGH RELIABILITY**



**FEATURES** 



High performance self-priming centrifugal pump with built-in pre-filter for the circulation of swimming pool water (including salt water) for residential and domestic environments. Quiet and reliable



#### **Energy Saving**

high performance with low energy consumption



Noiseless (60 DBA) Silent running



#### Reliability

Corrosion resistant materials for a long life even at extreme conditions



#### Semplicity

easy-to-open transparent cover for quick cleaning of the filter



MODEL	Q = 10 m
EUROSWIM 50	11 m³/h
EUROSWIM 75	14 m³/h
EUROSWIM 100	16 m³/h
EUROSWIM 150	23 m³/h
EUROSWIM 200	30 m³/h
EUROSWIM 300	38 m³/h

#### **CERTIFICATIONS**







#### DESIGN

This innovative solution combines aesthetics with sturdy materials highly resistant to corrosion and oxidation.



#### HYDRAULIC COMPONENTS

All components in contact with the liquid are made in polypropylene or noryl with glass

High efficiency Impeller with special design to cover and protect motor shaft against corrosion (motor is completely insulate)



#### QUICK AND EASY CONNECTION

In & Out connection female, threaded 2". Optional on request: special 3 pieces adjustment 50/63 mm.



#### LARGE PREFILTER

It has a large canister, up to 6 liters Motor (suitable up to 60°) a trasparent lid that can be removed without tools, and an internal filter easy to take out and clean.



#### **ANTI-VIBRATION FEET**

La base di appoggio garantisce stabilità ed è fornita di piedini in gomma che riducono le vibrazioni.



All metallic components are with surface treatment

Suitable for working at high temperature environment (up to 50°C)
With exhaust condensate holes
Capacitor is internal in the terminal board box

Water proof bearings



#### TERMINAL BOARD BOX


Easy and fast line connection, It is totally closed against electrical motor to avoid any accidentally solid bodies entry

# **SELECTION TABLE**


	RESIDENTIAL SWIMMING POOL				
	DIMENSIONS OF POOL	VOLUME OF WATER (m³)	FLOW (m³/h)	MODEL	
PRIVATE SWIMMING POOL	8 x 4	35 to 50	9	E.SWIM 150	EUROSWIM 50
	8x4 to 10x5	50 to 70	12	E.SWIM 150	EUROSWIM 75
	10x5 to 12x5	70 to 90	15	E.SWIM 150	EUROSWIM 75 EUROSWIM 100
	11x6 to 12x6	90 to 110	18	E.SWIM 150	EUROSWIM 100
PUBLIC SWIMMING POOL	8 x 4	35 to 50	14	E.SWIM 150	EUROSWIM 75
	8x4 to 10x5	50 to 70	24	E.SWIM 300	EUROSWIM 200
	10x5 to 12x5	70 to 90	30	E.SWIM 300	EUROSWIM 200 EUROSWIM 300
	11x6 to 12x6	90 to 110	40	E.SWIM 300	EUROSWIM 300

\*Times for complete recirculation of water within 6 hours for private pool and 2/3 hours for public pool

### E.JUIM



# **Euroswim**



# **COMPARISON TABLE**





	€`~⋒⋒	Euroswim
FEATURES		
HIGH EFFICIENCY HYDRAULICS		<b>✓</b>
HIGHLY RELIABLE AND DURABLE COMPONENTS	<b>✓</b>	✓
SMALL SIZE, FOR EASE OF INSTALLATION		<b>✓</b>
LCD DISPLAY	<b>✓</b>	×
8 SPEEDS THAT CAN BE SET WITH TIMER	<b>✓</b>	×
INTEGRATED DIAGNOSTICS FOR PROTECTION OF THE PUMP	<b>✓</b>	×
DAB CONNECTIVITY	<b>✓</b>	×
OPERATION AT VARIABLE SPEED	<b>✓</b>	×
OPERATION AT VARIABLE FLOW RATE	<b>✓</b>	×
OPERATION AT CONSTANT FLOW RATE	<b>√</b>	×
HIGH EFFICIENCY "BRUSHLESS" MOTORS WITH PERMANENT MAGNETS	✓	×
WATER COOLING WITHOUT NEED FOR FAN	<b>✓</b>	×
BACKWASHING MODE	<b>✓</b>	×




# **PUBLIC POOLS**


# **EUROPRO HIGH FLOW**

#### **SWIMMING POOL LARGE FILTRATION**

Self-priming, high-performance centrifugal pumps, with built-in large capacity prefilter. 2 or 4 pole motor completely isolated from the water. Extremely quiet and highly reliable, developed for the circulation and filtration in large swimming pool filtration systems. Also suitable for particular applications that require handling of seawater thanks to the mechanical seal made of AISI 316.







# **DRAINAGE PUMPS**

# **EUROCOVER**

#### **SWIMMING POOL COVER PUMP**

Technopolymer submersible pumps for draining swimming pool covers. The large support base guarantees stability, and the built-in float ensures automatic operation.



# NKM-G / NKP G

#### **SWIMMING POOL LARGE FILTRATION**

The new range of prefilters gives the possibility of using the standardised monobloc centrifugal pumps of the NKM-G/NKP-G ranges, starting from DN 40 up to DN 150, for the circulation of water in large filtration systems



# **NOVA UP**



### **NOVA UP MAE**

• Submersible pumps in technopolymer ideal for draining in residential environments subject to flooding or for portable applications such as emptying swimming pools, fountains and small excavations.

### **FEKA BVP**



Submersible pumps ideal for draining and emptying in the residential sector. Suitable for pumping dirty water with solid particle • size up to 50 mm.

### **NOVA SW**



• Submersible pumps ideal for the · recirculation of water in ponds and to create waterfalls and water features.

# **SELF-PRIMING PUMPS**

# **JETCOM SP - EUROCOM SP**

### SWIMMING POOL WATER SUPPLY


Horizontal axis multistage centrifugal pump, characterised by extremely quiet operation. A hydraulic pool cleaners and all applications involving the circulation of aggressive water in general containing chlorine.






**MULTI 4 SW** 

• Models specifically constructed to pump salt water.



# NOTE





Unit 4 and 5, Stortford Hall Industrial Park, Dunmow Road, Bishops Stortford, Herts CM23 5GZ - UK salesuk@dwtgroup.com Tel. +44 1279 652 776 Fax +44 1279 657 727

### Fax: + 34 91 6569676

DAB PUMPS HUNGARY KFT.

DAB PUMPS IBERICA S.L.

Info.spain@dwtgroup.com

Tel. +34 91 6569545

28850 - Torrejón de Ardoz - Madrid

Calle Verano 18-20-22

Spain

H-8800 Nagykanizsa, Buda Ernő u.5 Hungary Tel. +36 93501700



DAB PUMPS B.V. Albert Einsteinweg, 4

Tel. +31 416 387280

Fax +31 416 387299

Brusselstraat 150 B-1702 Groot-Bijgaarden - Belgium info.belgium@dwtgroup.com Tel. +32 2 4668353 Fax +32 2 4669218



DAB PUMPS POLAND Sp. z o.o.

Mokotów Marynarska ul. Postępu 15C 02-676 Warszawa - Poland polska@dabpumps.com.pl Tel. +48 223 816 085



000 DAB PUMPS

Novgorodskaya str. 1, block G office 308, 127247, Moscow - Russia info.russia@dwtgroup.com Tel. +7 495 122 0035 Fax +7 495 122 0036



Tackweg 11 D - 47918 Tönisvorst - Germany info.germany@dwtgroup.com Tel. +49 2151 82136-0 Fax +49 2151 82136-36

5151 DL Drunen - Nederland info.netherlands@dwtgroup.com



DAB PUMPS INC.

3226 Benchmark Drive Ladson, SC 29456 - USA info.usa@dwtgroup.com Tel. 1- 843-797-5002 Fax 1-843-797-3366



#### DAB PUMPS SOUTH AFRICA PTY

Twenty One industrial Estate, 16 Purlin Street, Warehouse 4, Unit B Olifantsfontein - South - Africa in fo. sa@dwt group.comTel. +27 12 361 3997 Fax +27 12 361 3137



#### DAB PUMPS (QINGDAO) CO. LTD.

No.40 Kaituo Road, Qingdao Economic & Technological Development Zone Qingdao City, Shandong Province - China PC: 266500 sales.cn@dwtgroup.com Tel. +86 400 186 8280 Fax +86 53286812210



#### DAB PUMPS DE MÉXICO, S.A. DE C.V.

Av Amsterdam 101 Local 4 Col. Hipódromo Condesa, Del. Cuauhtémoc CP 06170 Ciudad de México Tel. +52 55 6719 0493



### DAB PUMPS OCEANIA PTY LTD

426 South Gippsland Hwy, Dandenong South VIC 3175 - Australia info.oceania@dwtgroup.com Tel. +61 1300 373 677

